Wildlife Habitat

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table)

| Map symbol and soil name | Grain and seed crops (for use as food and cover) | | Domestic grasses and legumes (for use as food and cover) | | Upland wild herbaceous plants | | Upland shrubs and vines | | Upland deciduous trees | |
|--------------------------|--|-----------|--|-----------|------------------------------------|-----------|------------------------------------|-----------|---------------------------------------|-------|
| | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 10A: | | | | | | | | | | |
| Sturges | Very limited: wetness | 1.00 | Very limited: wetness | 1.00 | Very limited: wetness | 1.00 | Very limited: wetness | 1.00 | Very limited: wetness | 1.00 |
| | (very limited) | - 1 0 0 | (very limited) | - 1 0 0 | (very limited) | | (very limited) | | very limited) | |
| | percs slowly | 0.76 | percs slowly | 0.76 | (1017 111111001) | i | (1017 1111111001) | | (************************************ | ì |
| | (limited) | | (limited) | | | į | | | | |
| 12 A : | | | | | | | | | | |
| Crestmeade | Very limited: | | Very limited: | | Very limited: | | Very limited: | | Very limited: | |
| | wetness | 1.00 | wetness | 1.00 | wetness | 1.00 | wetness | 1.00 | wetness | 1.00 |
| | (very limited) | | (very limited) | | (very limited) | | (very limited) | | (very limited) | |
| | percs slowly | 0.60 | percs slowly | 0.60 | | | | | | |
| | (moderately limited) | | (moderately limited) | | | | | | | |
| 14B: | | | | | | | | | | |
| Grundy | Limited: | | Limited: | | Moderately limited: | | Moderately limited: | | Moderately limited: | |
| | percs slowly | 0.76 | | 0.76 | wetness | 0.60 | wetness | 0.60 | wetness | 0.60 |
| | (limited) | | (limited) | | (moderately limited) | | (moderately limited) | | (moderately limited) | |
| | wetness | 0.60 | wetness | 0.60 | | | | | | |
| | (moderately limited) | | (moderately limited) | 1 | | | | | | |
| | highly erodible | 0.50 | highly erodible | 0.50 | ! | ļ | | | | ! |
| | (moderately limited) | | (moderately limited) | | | | | | | |
| 20F: | | į | | ļ | | į | | | | į |
| Locksprings | | ! | Limited: | ! | Limited: | ļ | Limited: | | Limited: | ! |
| | droughty | 1.00 | highly erodible | 0.80 | droughty | 0.71 | droughty | 0.71 | droughty | 0.71 |
| | (very limited) | | (limited) | | (limited) | | (limited) | | (limited) | |
| | highly erodible | 0.80 | droughty | 0.71 | wetness | 0.60 | wetness | 0.60 | wetness | 0.60 |
| | (limited) | | (limited) | | (moderately limited) | | (moderately limited) | ' | (moderately limited) | |
| | wetness | 0.60 | wetness | 0.60 | 1 | 0.08 | depth to bedrock | 0.42 | depth to bedrock | 0.42 |
| | (moderately limited) | | (moderately limited) | 1 | (slightly limited) | | (moderately limited) | | (moderately limited) | |
| 21B: | | | | | | | | | | |
| Weller | Moderately limited: | | Moderately limited: | | Moderately limited: | | Moderately limited: | | Moderately limited: | |
| | wetness | 0.44 | wetness | 0.44 | wetness | 0.44 | wetness | 0.44 | wetness | 0.44 |
| | (moderately limited) | | (moderately limited) | | (moderately limited) | | (moderately limited) | | (moderately limited) | |

| Map symbol and soil name | Grain and seed crops (for use as food and cover) | | Domestic grasses and legumes (for use as food and cover) | | Upland wild herbaceous plants | | Upland shrubs and vines | | Upland deciduous trees | |
|-----------------------------|--|-------------------------|--|-------------------------|--|-------------------------|--|-------------------------|--|----------------|
| | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 22C: | | | | | | | | | | |
| Weller | Limited: highly erodible (limited) | 0.80 | Limited: highly erodible (limited) | 0.80 | Moderately limited: wetness (moderately limited) | 0.44 | Moderately limited: wetness (moderately limited) | 0.44 | Moderately limited: wetness (moderately limited) | 0.44 |
| | percs slowly (limited) | 0.76 | percs slowly (limited) | 0.76 | | į | | | i I | į |
| | wetness (moderately limited) | 0.44 | wetness (moderately limited) | 0.44 | | | | | | |
| 26C2: | | | | | | | | | | |
| Chillicothe | Limited: highly erodible (limited) percs slowly (moderately limited) | 0.80 0.60 | Limited: highly erodible (limited) percs slowly (moderately limited) | 0.80 0.60 | Moderately limited: wetness (moderately limited) too clayey (slightly limited) | 0.44 0.03 | Moderately limited: wetness (moderately limited) too clayey (slightly limited) | 0.44 0.03 | Moderately limited: wetness (moderately limited) | 0.44 |
| | wetness (moderately limited) | 0.44 | wetness (moderately limited) | 0.44 | | | | | | |
| 28C: | | | | | | | | | | |
| Greenton | Limited: wetness (limited) | 0.94 | Limited: wetness (limited) | 0.94 | Limited: wetness (limited) | 0.94 | Limited: wetness (limited) | 0.94 | Limited: wetness (limited) | 0.94 |
| | highly erodible (limited) | 0.80 | highly erodible (limited) | 0.80 0.76 | too clayey (slightly limited) | 0.27 | too clayey (slightly limited) | 0.27 | | |
| | percs slowly (limited) | 0.76 | percs slowly (limited) | 0.76 | | | | | | |
| 28D2: | | İ | İ | İ | | İ | | İ | | İ |
| Greenton | wetness (very limited) highly erodible | 1.00 0.80 | Very limited: wetness (very limited) highly erodible | 1.00 0.80 | Very limited: wetness (very limited) too clayey | 1.00 0.25 | Very limited: wetness (very limited) too clayey | 1.00 0.25 | Very limited: wetness (very limited) | 1.00 |
| | (limited) percs slowly (limited) | 0.76 | (limited) percs slowly (limited) | 0.76 | (slightly limited) | | (slightly limited) | | | |
| 30B: | İ | į | İ | į | İ | İ | İ | į | İ | İ |
| Sampsel | wetness (very limited) | 1.00 | Very limited: wetness (very limited) | 1.00 | Very limited: wetness (very limited) | 1.00 | Very limited: wetness (very limited) | 1.00 | Very limited: wetness (very limited) | 1.00 |
| | highly erodible (limited) percs slowly | 0.80 0.60 | highly erodible (limited) percs slowly | 0.80 0.60 | too clayey (slightly limited) | 0.10 | too clayey (slightly limited) | 0.10 | | |
| | (moderately limited) | | (moderately limited) | | | | | | | İ |

| Map symbol and soil name | Grain and seed crops (for use as food and cover) | | Domestic grasses and legumes (for use as food and cover) | | Upland wild herbaceous | | Upland shrubs and vines | | Upland deciduous trees | |
|--------------------------|--|-----------------|--|---------------|--|---------------|--|---------------|--|-----------|
| | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Valu |
| 34B2: | | | | l I | | | | | | 1 |
| Lagonda | Limited: percs slowly (limited) | 0.76 | Limited: percs slowly (limited) | 0.76 | Moderately limited: wetness (moderately limited) | 0.60 | Moderately limited: wetness (moderately limited) | 0.60 | Moderately limited: wetness (moderately limited) | 0.60 |
| | wetness (moderately limited) | | wetness (moderately limited) | | | <u> </u> | - - | <u> </u> | | İ |
| | highly erodible (moderately limited) | 0.50 | highly erodible (moderately limited) | 0.50 | | | | | | |
| 34C2: | | | | | | | | | | |
| Lagonda | Limited: highly erodible (limited) | 0.80 | Limited: highly erodible (limited) | 0.80 | Moderately limited: wetness (moderately limited) | 0.60 | Moderately limited: wetness (moderately limited) | 0.60 | Moderately limited: wetness (moderately limited) | 0.60 |
| | percs slowly (limited) | 0.76 | percs slowly (limited) | 0.76 | too clayey (slightly limited) | 0.01 | too clayey (slightly limited) | 0.01 | | İ |
| | wetness (moderately limited) | 0.60 | wetness (moderately limited) | 0.60 | | | | | | |
| 36D2: | | | | | | | | | | |
| Lamoni | | | Very limited: | ļ | Very limited: | ļ | Very limited: | | Very limited: | |
| | percs slowly | 1.00 | percs slowly | 1.00 | wetness | 1.00 | | 1.00 | wetness | 1.00 |
| | (very limited) | 1.00 | (very limited) | 1.00 | (very limited) | | (very limited) | | (very limited) | |
| | wetness (very limited) | 1.00 | wetness (very limited) | 1.00 | | l I | | l I | | 1 |
| | highly erodible | 0.80 | highly erodible | 0.80 | | l I | | l I | | 1 |
| | (limited) | | limited | | | | | | | |
| 62D2: | | | | | | | | | | |
| Caleb | Limited: | | Limited: | | Not limited | | Not limited | | Not limited | |
| | highly erodible (limited) | 0.80 | highly erodible (limited) | 0.80 | | | | | | |
| 70C2: | | | | | | | | | | |
| Dawn | Limited: | l i | Limited: | | Moderately limited: | | Moderately limited: | | Moderately limited: | İ |
| | highly erodible | 0.80 | highly erodible | 0.80 | wetness | 0.60 | wetness | 0.60 | wetness | 0.60 |
| | (limited) | | (limited) |] | (moderately limited) | | (moderately limited) | ' | (moderately limited) | |
| | wetness | 0.60 | wetness | 0.60 | | ļ | depth to bedrock | 0.09 | depth to bedrock | 0.09 |
| | (moderately limited) | | (moderately limited) | | | | (slightly limited) | | (slightly limited) | 1 |
| | droughty | 0.16 | depth to bedrock | 0.09 | | | | | | 1 |
| | (slightly limited) | | (slightly limited) | 1 | I | 1 | ! | | I | 1 |

| Map symbol and soil name | use as food and cover) | | Domestic grasses and legumes (for use as food and cover) | | Upland wild herbaceous plants | | Upland shrubs and vines | | Upland deciduous trees | |
|--------------------------|------------------------------------|-------|--|-------|------------------------------------|-------|------------------------------------|-------|---|-------|
| | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 72F: | | | | | | | | | | |
| Gosport | Very limited: percs slowly | 1.00 | Very limited: percs slowly | 1.00 | Not limited | İ | Slightly limited: depth to bedrock | 0.03 | Slightly limited: depth to bedrock | 0.03 |
| | (very limited) | | (very limited) | | İ | i | (slightly limited) | | slightly limited) | |
| | highly erodible | 0.80 | highly erodible | 0.80 | İ | i | | İ | | i |
| | (limited) | İ | (limited) | i | İ | İ | İ | İ | İ | i |
| | slope | 0.48 | slope | 0.48 | | İ | | j | ĺ | İ |
| | (moderately limited) | | (moderately limited) | | | | | | | |
| 73: | | | | | | | | | | 1 |
| Sandover | Very limited: | İ | Limited: | İ | Moderately limited: | İ | Moderately limited: | İ | Moderately limited: | Ì |
| | droughty | 1.00 | flooding | 0.90 | wetness | 0.39 | wetness | 0.39 | wetness | 0.39 |
| | (very limited) | | (limited) | | (moderately limited) | | (moderately limited) | | (moderately limited) | |
| | flooding | 0.90 | wetness | 0.39 | droughty | 0.26 | droughty | 0.26 | droughty | 0.26 |
| | (limited) | | (moderately limited) | | (slightly limited) | | (slightly limited) | | (slightly limited) | 1 |
| | wetness | 0.39 | droughty | 0.26 | | | | | | ! |
| | (moderately limited) | | (slightly limited) | | | | | | | |
| 74: | | | | | | | | | | i |
| Dockery | Limited: | | Limited: | | Moderately limited: | | Moderately limited: | | Moderately limited: | |
| | flooding | 0.90 | | 0.90 | wetness | 0.60 | ! | 0.60 | wetness | 0.60 |
| | (limited) | ! | (limited) | | (moderately limited) | ļ | (moderately limited) | | (moderately limited) | ! |
| | wetness | 0.60 | wetness | 0.60 | | | | | | ! |
| | (moderately limited) | | (moderately limited) | | | | 1 | | | |
| 78: | | | | | | | | | | |
| Colo | Very limited: | | Very limited: | | Very limited: | | Very limited: | | Very limited: | 1 |
| | wetness | 1.00 | wetness | 1.00 | wetness | 1.00 | wetness | 1.00 | wetness | 1.00 |
| | (very limited) | | (very limited) | | (very limited) | | (very limited) | | (very limited) | |
| | flooding | 0.60 | flooding | 0.60 | | | | | | 1 |
| | (moderately limited) | | (moderately limited) | | l I | | | | | |
| 80: | | | | | | | | | | |
| Tice | Very limited: | | Very limited: | | Very limited: | | Very limited: | | Very limited: | 1 |
| | wetness | 1.00 | wetness | 1.00 | wetness | 1.00 | wetness | 1.00 | wetness | 1.00 |
| | (very limited) | | (very limited) | | (very limited) | | (very limited) | | (very limited) | 1 |
| | flooding | 0.90 | flooding | 0.90 | | | | | | |
| | (limited) | | (limited) | | | | | | | |

| Map symbol and soil name | Grain and seed crops (for use as food and cover) | | Domestic grasses and legumes (for use as food and cover) | | Upland wild herbaceous plants | | Upland shrubs and vines | | Upland deciduous trees | |
|--------------------------|---|--|---|--|--|---------------------------------------|--|--|--|------------------------------|
| | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 81: | | | | | | | | | | |
| Tice | Limited: wetness (limited) percs slowly (moderately limited) flooding (moderately limited) | 0.60 | Limited: wetness (limited) percs slowly (moderately limited) flooding (moderately limited) | 0.60 | Limited: wetness (limited) too clayey (moderately limited) | 0.73 | Limited: wetness (limited) too clayey (moderately limited) | 0.73 0.35 | Limited: wetness (limited) | 0.73 |
| 82A: Triplett | Very limited: wetness (very limited) percs slowly (limited) | 1.00 0.76 | Very limited: wetness (very limited) percs slowly (limited) | 1.00 0.76 | Very limited: wetness (very limited) | 1.00 | Very limited: wetness (very limited) | 1.00 | Very limited: wetness (very limited) | 1.00 |
| 84: Vesser | Very limited: wetness (very limited) flooding (moderately limited) | 1.00 0.60 | Very limited: wetness (very limited) flooding (moderately limited) | 1.00 0.60 | Very limited: wetness (very limited) | 1.00 | Very limited: wetness (very limited) | 1.00 | Very limited: wetness (very limited) | 1.00 |
| 92: Carlow | Very limited: wetness (very limited) flooding (limited) percs slowly (limited) | 1.00 0.90 0.76 | Very limited: wetness (very limited) flooding (limited) percs slowly (limited) | 1.00 0.90 0.76 | Very limited: wetness (very limited) too clayey (moderately limited) | 1.00 0.38 | Very limited: wetness (very limited) too clayey (moderately limited) | 1.00 0.38 | Very limited: wetness (very limited) | 1.00 |
| 94: Zook | Very limited: wetness (very limited) flooding (limited) percs slowly (moderately limited) | 1.00 0.90 0.60 | Very limited: wetness (very limited) flooding (limited) percs slowly (moderately limited) | 1.00 0.90 0.60 | Very limited: wetness (very limited) too clayey (slightly limited) | 1.00 0.16 | Very limited: wetness (very limited) too clayey (slightly limited) | 1.00 0.16 | Very limited: wetness (very limited) | 1.00 |

| soil name | Grain and seed crops (for use as food and cover) | | Domestic grasses and legumes (for use as food and cover) | | Upland wild herbaceous plants | | Upland shrubs and vines | | Upland deciduous trees | |
|--------------------------------|---|---------------------------------------|--|--|---|------------------------------|--|------------------------------|---|-------------------------|
| | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 98: | | | | | | | | | | |
| Wabash | Very limited: wetness (very limited) percs slowly (very limited) flooding (limited) | 1.00 1.00 0.90 | (very limited) percs slowly (very limited) | 1.00 1.00 0.90 | Very limited: wetness (very limited) too clayey (limited) | 1.00 0.63 | (very limited) | 1.00 0.63 | Very limited: wetness (very limited) | 1.00 |
| 99F: Putco | Limited: droughty (limited) percs slowly (limited) highly erodible (moderately limited) | 0.76 0.50 | Limited: percs slowly (limited) highly erodible (moderately limited) too clayey (slightly limited) | 0.76 0.50 0.26 | Slightly limited: too clayey (slightly limited) | 0.26 | Slightly limited: too clayey (slightly limited) | 0.26 | Not limited | |
| Pits | Not rated | | Not rated | | Not rated | | Not rated | | Not rated | |
| Dumps | Not rated | | Not rated | | Not rated | | Not rated | | Not rated | į |
| 99002: Orthents | Very limited: percs slowly (very limited) highly erodible (moderately limited) droughty (slightly limited) | 1.00 0.50 0.01 | Very limited: percs slowly (very limited) highly erodible (moderately limited) | 1.00 0.50 | Not limited | | Not limited | | Not limited | |
| 99005: Orthents | Not rated | | Not rated | | Not rated | | Not rated | | Not rated | |
| M-W: Miscellaneous water | Not rated | | Not rated | | Not rated | | Not rated | | Not rated | |
| W: Water | Not rated | | Not rated | | Not rated | į | Not rated | | Not rated | |